Notice of Allowability	Application No.	Applicant(s)
	09/835,003	OJHA ET AL.
	Examiner	Art Unit
	Jonathan G. Sterrett	3623
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to Examiner's Amendment of 28 Sept 2005.		
2. The allowed claim(s) is/are <u>2-10,15-20 and 22-33.</u>		
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> </ul>		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)		atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	<ol> <li>Interview Summary Paper No./Mail Dat</li> </ol>	e
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date</li> </ol>		nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
5. 210.0glod. Matorial	9.  Other	
	<u> </u>	TARIO R. HAFIZ

Page 2

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Brian E Harris Reg. 48,383 on 28 September 2005.

- 2. Examiner amends Claims 4, 15, 18, 22 and 25-29 and adds Claims 30-
- 33. Currently Claims 2-10, 15-20 and 22-33 are pending in the application.

See attached Examiner's Amendment.

A Terminal Disclaimer has been approved.

## Reasons for Allowance

3. The following is an examiner's statement of reasons for allowance:

None of the prior art of record, taken individually or in any combination, teach, inter alia, a second primary HA system replacing a first primary HA system and processing requests requiring modification of the planning information and the second primary HA system communicating planning information to one or more of the secondary HA systems after replacing the first primary HA system as recited in independent Claims 4, 15, 22, 28 and 29.

The novelty of the invention is in the combination of the limitations cited in independent Claims 4, 15, 22, 28 and 29 and not in any specific individual claim limitation.

The prior art reference most closely resembling the applicants claimed invention is MAPICS.

While MAPICS discloses processing requests requiring modification of planning information, it lacks a a second primary HA system replacing a first primary HA system and processing requests requiring modification of the planning information and the second primary HA system communicating planning information to one or more of the secondary HA systems after replacing the first primary HA system, as recited in Claims 4, 15, 22, 28 and 29.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jonathan G. Sterrett whose telephone number is 571-272-6881. The examiner can normally be reached on 8-6.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tariq Hafiz can be reached on 571-272-6729.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information

Application/Control Number: 09/835,003

Art Unit: 3623

Page 4

for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-

direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-

free).

TO

JGS 9-29-05

TARIO R. HAFIZ SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 3600